Powder (substance)

From Wikipedia, the free encyclopedia

A **powder** is a dry, bulk solid composed of a large number of very fine particles that may flow freely when shaken or tilted. Powders are a special sub-class of granular materials, although the terms *powder* and *granular* are sometimes used to distinguish separate classes of material. In particular, *powders* refer to those granular materials that have the finer grain sizes, and that therefore have a greater tendency to form clumps when flowing. *Granulars* refers to the coarser granular materials that do not tend to form clumps except when wet.

Contents

- ■1 Mechanical properties
- ■2 Powder transport
- ■3 Fire dangers of powders
- ■4 Comparison with other substances
- ■5 See also
- ■6 References
- ■7 External links

Mechanical properties

Typically, a powder can be compacted or loosened into a vastly larger range of bulk densities than can a coarser granular material. When deposited by sprinkling, a powder may be very light and fluffy. When vibrated or compressed it may become very dense and even lose its ability to flow. The bulk density of coarse sand, on the other hand, does not vary over an appreciable range.

The clumping behavior of a powder arises because of the molecular Van der Waals force that causes individual grains to cling to one another. Actually, this force is present not just in powders, but in sand and gravel, too. However, in such coarse granular materials the weight and the inertia of the individual grains are much larger than the very weak Van der Waals forces, and therefore the tiny clinging between grains does not have a dominant effect on the bulk behavior of the material. Only when the grains are very small and lightweight does the Van der Waals force become predominant, causing the material clump like a powder.

Many other powder behaviors are common to all granular materials. These include segregation, stratification, jamming and unjamming, fragility, loss of kinetic energy,

frictional shearing, compaction and Reynolds' dilatancy.

Powder transport

Powders are transported in the atmosphere differently than a coarse granular material. For one thing, tiny particles have relatively little inertia compared to the drag force of the gas that surrounds them, and so they tend to go with the flow instead of traveling in straight lines. For this reason, powders may be an inhalation hazard. Larger particles cannot weave through the body's defenses in the nose and sinus, but will strike and stick to the mucous membranes. The body then moves the mucous out of the body to expel the particles. The smaller particles on the other hand can travel all the way to the lungs from which they cannot be expelled. Serious and sometimes fatal diseases such as silicosis are a result from working with certain powders without adequate respiratory protection.

Also, if powder particles are sufficiently small, they may become suspended in the atmosphere for a very long time. Random motion of the air molecules and turbulence provide upward forces that may counteract the downward force of gravity. Coarse granulars, on the other hand, are so heavy that they fall immediately back to the ground. Once disturbed, dust may form huge dust storms that cross continents and oceans before settling back to the surface. This actually explains why there is relatively little hazardous dust in the natural environment. Once aloft, the dust is very likely to stay aloft until it meets water in the form of rain or a body of water. Then it sticks and is washed downstream to settle as mud deposits in a quiet lake or sea. When geological changes later re-expose these deposits to the atmosphere, they may have already cemented together to become mudstone, a type of rock. For comparison, the Moon has neither wind nor water, and so its regolith contains dust but no mudstone.

The cohesive forces between the particles tend to resist their becoming airborne, and the motion of wind across the surface is less likely to disturb a low-lying dust particle than a larger sand grain that protrudes higher into the wind. Mechanical agitation such as vehicle traffic, digging, or passing herds of animals is more effective than a steady wind at stirring up a powder.

The aerodynamic properties of powders are often used to transport them in industrial applications. Pneumatic conveying is the transport of powders or grains through a pipe by blowing gas. A gas fluidized bed is a container filled with a powder or granular substance that is *fluffed up* by blowing gas upwardly through it. This is used for fluidized bed combustion, chemically reacting the gas with the powder.

Fire dangers of powders

Many common powders made in industry are of combustible; particularly organic materials such as flour or metals. Since powders have a very high surface area they can combust with extreme speed once ignited, and explosions have occurred in flour mills for example.

Some metals become especially dangerous in powdered form, notably titanium.

Comparison with other substances

A paste or gel might become a powder after it has been thoroughly dried, but is not considered a powder when it is wet because it does not flow freely. Substances like dried clay, although dry bulk solids composed of very fine particles, are not powders unless they are crushed because they have too much cohesion between the grains, and therefore they do not flow freely like a powder. A liquid flows differently than a powder, because a liquid cannot resist any shear stress and therefore it cannot reside at a tilted angle without flowing (that is, it has zero *angle of repose*.) A powder on the other hand is a solid, not a liquid, because it may support shear stresses and therefore may display an angle of repose.

See also

- •Gran ular material
- ■F ragile matter
- ■P aste (rheology)
- ■Liq uefaction

References

- ■Dura n, J., Reisinger A., Sands, Powders, and Grains: An Introduction to the Physics of Granular Materials. November 1999, Springer-Verlag New York, Inc., New York, ISBN 0-387-98656-1.
- •Ro dhes, M (editor), Principles of powder technology, John Wiley & Sons, 1997 ISBN 0-471-92422-9
- •F ayed, M.E., Otten L. (editor), **Handbook of powder science & technology**, second edition, Chapman & Hall, ISBN 0-412-99621-9
- ■Ba gnold, R.A., Physics of Blown Sand and Desert Dunes, First Springer edition, 1971, ISBN 0-412-10270-6.
- •F undamentals of Particle Technology free book

External links

Retrieved from "http://en.wikipedia.org/wiki/Powder_(substance)" Category: Granular materials

- ■Thi s page was last modified on 19 November 2008, at 00:52.
- •All text is available under the terms of the GNU Free Documentation License. (See Copyrights for details.)

Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a U.S. registered 501(c)(3) tax-deductible nonprofit charity.